Inventors:

Huse and Glaser

Serial No.:

09/016,061

Filed: Page 2 January 30, 1998

81. (New) The antibody of claim 80, wherein said functional fragment is selected from the group consisting of Fv, Fab, $F(ab)_2$ and scFV.

- 82. (New) An antibody, or functional fragment thereof, comprising a $V_{\rm H}$ CDR2 selected from the group consisting of the CDRs referenced as SEQ ID NO:54. SEQ ID NO:56 and SEQ ID NO:58.
- 83. (New) The antibody of claim 82, wherein said functional fragment is selected from the group consisting of Fv, Fab, $F(ab)_2$ and scFV.
- 84. (New) An antibody, or functional fragment thereof, comprising a V_H CDR\$ selected from the group consisting of the CDRs referenced as SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:72, SEQ ID NO:74, SEQ ID NO:76, SEQ ID NO:78, SEQ ID NO:80, SEQ ID NO:94, SEQ ID NO:96; SEQ ID NO:98 and SEQ ID NO:100.
- 85. (New) The antibody of claim 84, wherein said functional fragment is selected from the group consisting of Fv, Fab, $F(ab)_2$ and scFV.
- 86. (New) An antibody, or functional fragment thereof, comprising a V_L CDR1 referenced as SEQ TD NO:82.

Cut.

Inventors:

Huse and Glaser

Serial No.:

09/016,061

Filed:

January 30, 1998

Page 3

- 87. (New) The antibody of claim 86, wherein said functional fragment is selected from the group consisting of Fv, Fab, $F(ab)_2$ and scFV.
- 88. (New) An antibody, or functional fragment thereof, comprising a $V_{\rm L}$ CDR2 referenced as SEQ ID NO:84.
- 89. (New) The antibody of claim 88, wherein said functional fragment is selected from the group consisting of Fv, Fab, $F(ab)_2$ and scFV.
- 90. (New) An antibody, or functional fragment thereof, comprising a V_L CDR3 selected from the group consisting of the CDRs referenced as SEQ ID NO:86, SEQ ID NO:88, SEQ ID NO:90 and SEQ ID NO:92.
- 91. (New) The antibody of claim 90, wherein said functional fragment is selected from the group consisting of Fv, Fab, $F(ab)_2$ and scFV.
- 92. (New) An antibody, or functional fragment thereof, comprising the combination of CDRs selected from the group consisting of:

the V_L CDR1 referenced as SEQ ID NO:8% and the V_H CDR3 referenced as SEQ ID NO:68;

the V_L CDR1 referenced as SEQ ID NO:82, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:68;

B

Inventors: Hu

Huse and Glaser

Serial No.:

09/016,061

Filed:

January 30, 1998

Page 4

the V_L CDR1 referenced as SEQ ID NO:82, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:72;

the V_L CDR1 referenced as SEQ ID NO:82, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:70;

the V_L CDR1 referenced as SEQ ID NO:82 and the V_H CDR3 referenced as SEQ ID NO:72;

the V_L CDR3 referenced as SEQ ID NO:86, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:68;

the V_L CDR3 referenced as SEQ ID NO:90 and V_H CDR3 referenced as SEQ ID NO:68; and

the V_L CDR3 referenced as SEQ ID NO:90, the V_H CDR2 referenced as SEQ ID NO:56 and V_H CDR3 referenced as SEQ ID NO:68.

- 93. (New) The antibody of claims 92, wherein said functional fragment is selected from the group consisting of Fv, Fab, $F(ab)_2$ and scFV.
- 94. (New) An antibody, or functional fragment thereof, comprising the combination of CDRs selected from the group consisting of:

the V_L CDR1 referenced as SEQ ID NO:82, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:94;

B' cont

Inventors: '

Huse and Glaser

Serial No.:

09/016,061

Filed:

January 30, 1998

Page 5

the V_L CDR3 referenced as SEQ ID NO:90, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:94;

the V_L CDR3 referenced as SEQ ID NO:90, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:96;

the V_L CDR3 referenced as SEQ ID NO:90 and the V_H CDR3 referenced as SEQ ID NO:94;

the V_L CDR3 referenced as SEQ ID NO:98; and The V_H CDR3 referenced as SEQ ID NO:98; and

the V_L CDR3 referenced as SEQ ID NO:90, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:100.

- 95. (New) The antibody of claims 94, wherein said functional fragment is selected from the group consisting of Fv, Fab, $F(ab)_2$ and scFV.
- 96. (New) An antibody, or functional fragment thereof, comprising the combination of CDRs selected from the group consisting of:

the V_L CDR1 referenced as SEQ ID NO:82 and the V_H CDR3 referenced as SEQ ID NO:68;

the V_L CDR1 referenced as SEQ ID NO:82, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:68;

Brt.

Inventors: '

Huse and Glaser

Serial No.:

09/016,061

Filed: Page 6

January 30, 1998

the V_L CDR1 referenced as SEQ ID NO:82, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:72;

the V_L CDR1 referenced as SEQ ID NO:82, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:70;

the V_L CDR1 referenced as SEQ ID NO:82 and the V_H CDR3 referenced as SEQ ID NO:72;

the V_L CDR3 referenced as SEQ ID NO:86, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:68;

the V_L CDR3 referenced as EQ ID NO:90, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:94;

the V_L CDR3 referenced as SEQ ID NO:90 and V_H CDR3 referenced as SEQ ID NO:68;

the V_L CDR3 referenced as SEQ ID NO:90, the V_H CDR2 referenced as SEQ ID NO:56 and V_H CDR3 referenced as SEQ ID NO:68;

the V_{L} CDR1 referenced as SEQ ID NO:82, the V_{H} CDR2 referenced as SEQ ID NO:56 and the V_{H} CDR3 referenced as SEQ ID NO:94;

the V_L CDR3 referenced as SEQ ID NO:90, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:96;

the V_L CDR3 referenced as SEQ ID NO:90 and the V_H CDR3 referenced as SEQ ID NO:94;

the V_L CDR3 referenced as SEQ ID NO:90 and the V_H CDR3 referenced as SEQ ID NO:98; and

But

Inventors:

Huse and Glaser

Serial No.:

09/016,061

Filed:

January 30, 1998

Page 7

the V_L CDR3 referenced as SEQ ID NO:90, the V_H CDR2 referenced as SEQ ID NO:56 and the V_H CDR3 referenced as SEQ ID NO:100.

- 97. (New) The antibody of claim 96, wherein said functional fragment is selected from the group consisting of Fv, Fab, F(ab), and scFV.
- 98. (New) A method of inhibiting a function of $\alpha_{\nu}\beta_{3}$ comprising contacting $\alpha_{\nu}\beta_{3}$ with the enhanced LM609 grafted antibody of claim 56, or a functional fragment thereof, under conditions which allow binding of said enhanced LM609 grafted antibody to $\alpha_{\nu}\beta_{3}$.
- 99. (New) The method of claim 98, wherein said functional fragment is selected from the group consisting of Fv, Fab, $F(ab)_2$ and scFV.
- 100. (New) The method of claim 98, wherein said function of $\alpha_\nu\beta_3$ is binding of $\alpha_\nu\beta_3$ to a ligand.
- 101. (New) The method of claim 98, wherein said function of $\alpha_{\nu}\beta_{3}$ is integrin mediated signal transduction.
- 102. (New) A method of treating an $\alpha_{\nu}\beta_{3}$ -mediated disease comprising administering an effective amount of the enhanced LM609 grafted antibody of claim 56, or a functional fragment thereof, under conditions which allow binding to $\alpha_{\nu}\beta_{3}$.

Brat.